

100 E.F.

RR 399A (60H) (SF 472 19-3-19) MP 203091

TYPE Standard (6-2-A Series) INDIA.

Body Open Touring Weight 9/9 1/2 cwt Passengers, etc. Car 4 Lug. usual

Springs—Front { O.S. 1158 Rear { O.S. 2040
 { N.S. 1112 { N.S. 1948

Steering II Fittings Nickel

Cn Test 7-3-27 Delivered 7-4-27 To Lillie Hall

Customer Bombay (Mdaipur) Complete Car delivered 27-6-27

16-2-27	816035	Light lamp wiring to front wings	
"	87431	Long type chassis	
"	"	Louvered bonnet.	/\$145
"	"	1/2 P chassis instrument of black figs. & 1/2 silver dials.	"
"	"	Polish nickel radiator shutters	"
"	"	Luggage grid	"
"	"	Spare wheel carrier to each side	"
"	"	2 Centre bolts & discs.	"

RR 399A (60H) (SF 472 19-3-19) MP 203091

TYPE _____

Body _____ Weight 100 E.F. Passengers, etc. _____

Springs—Front { O.S. Contd. Rear { O.S. _____
 { N.S. _____ { N.S. _____

Steering _____ Fittings _____

Cn Test _____ Delivered _____ To _____

Customer _____ Complete Car delivered _____

Forwarded Apr 7th 1927 ^{no} 5486. Per L M & S Goods train
 Spares & tools with chassis.

13-6-27 2-12V 6 RR 51 type oxide batteries sent direct to Hoopers
 by Chlorides London

Finally tested at Hoopers 27-6-27. Shipped per ss
 Coachbuilders Hoopers. Kaiser Hind 8-7-27

Guarantee no 6267 issued 12/17. London-Bombay via
 effective from 19-10-27. R. Park per W. H. 1/8-7-27

R.R. 148 (50r) (D.D. 938 30-3-26) C.S.Ltd.

100 E.F.

Maharajah of Mdaipur L2/W/1-7-27

46654 Oil Pumps ret'd. GR 63056 2/17/27

Udaipur

CHASSIS No. 100 E.F.

Works No. H.P. 40/50

Engine No. DW 25 Type Long

Off Test 5.4.27 D.I. Issued 16.2.27

Axle Ratio 15x52 Despatched 7.4.27

BODY.

Open Touring

Drawing No. 3379

Makers Hooker & Co. Ltd.

Order No. 2114 Date 15.2.27

Copy Dwg. to Sp. on 22.2.27

CHASSIS.

Sale Price - £ 1350 : : 85%

Date of Sale

Sold to R. R. Desai

Bombay

Shriman

30: H. H. Maharaj Kumar

Udaipur

Guar: 6267 - 19.10.27

Sent 15.1.27

For delivery

TYRES

Dunlop well Base Balloon

Front 33" x 6.75"

Back do -

Date of Order 16.2.27 No. 87431

TRIMMING & PAINTING.

Body in Parson Primrose No 680/15

Colours wings, wheels etc. Parson's Tobac Brown No 674/15

Upholstery Plain brown leather

as per sample

Coachbuilders Instructed 10.3.27

CAR ORDER FORM No. 184

DRAWING BOOK No. 56

DEPOSIT PAID £ 637 : - : - : DATE 29.1.27

BALANCE OF CHASSIS PRICE PAID £ : : : : DATE

BALANCE OF CAR PRICE PAID £ 2312 : 11 : 8 : DATE 3.10.27

CHASSIS DELIVERED ON 12.4.27 TO Hoopers BY L.H.

CAR DELIVERED ON 8.7.27 TO Bombay BY "Kaiser-i-Hind"

INVOICE No. 1951/3 DATE 4.7.27 2292-6-5

CHASSIS DRAWING SENT 7.3.27 TO Hoopers

INSTRUCTION BOOK ISSUED 2.5.27 TO Bombay

FITTINGS Nickel LEVERS Set in Brake lever cranked back 5" and in 1" at top

G.I.S 6035 .. 16.2.27

COLUMN "D"

	Order No.	£	s.	d.	Invoice Folio
Body		620	.	.	15%
Springs for a 6 seater Open T. 9/9 coils. Usual lugs	87431	50	-	-	25%
Long wheelbase.	"	-	-	-	
Lowered bonnet.	"	1	6	-	18/11
Polished, nickel radiator shutters.	"	-	4	6	3/4
1/2 Glass instruments with black figures and nickel silver dials.	"	9	9	-	4.17.8
R.R. Luggage grid.	"	3	3	-	2.2.0
Nickel plating same	So 2075 87432	11	-	-	6.5.0
1/2 "AT" Speedometer with black figures & nickel silver dials	87431	4	15	-	3.2.6
1/2 Smith clock. -do-	So 2075 87431	10	3	6	5.10.0
An Extra spare Oxide battery	87431	4	10	-	3.10.0
R.R. mascot with flag staff	So 2075 87439	-	-	-	
Dunlop well base wire wheels and one spare.	87431	5	19	-	3.19.4
One extra spare do.	"	-	-	-	
1/2 Bosch Horn in lieu of Klaxon.	"	2	13	6	2.0.6
Locks to bonnet.	"	19	2	-	
2 spare 33" x 6.75" Dunlop Balloon Tyres.	"	4	8	-	
1/2 Polberth screen wiper	So 2075 87437	-	-	-	
1/2 Sitting do.	87437	4	10	-	20%
1/2 Gradient meter with black figures & nickel silver dial, So 2075	87433	10	6	-	8/-
Extra for cranking back brake lever 5" and in 1" at top.	87431				

OF SALE OF DELIVERY ADVISED "W" OF DELIVERY

Sp. advised 22/2/27

So 2075

P.T.O.

ACCESSORIES, SPARES & EQUIPMENT.

SP	PARTICULARS.	ORDERED.			CHARGED CUSTOMER			INVOICE FOLIO.
		FROM	ORDER NO.	DATE.	£	s.	d.	
gp	Registration No. ...	2 Red Flags with "Sun" crest in centre	87534		1	5	-	12/-
"	Number Plates ...	2 Occasional Extra seats.	2114.		25	-	-	15%
"	Licence Holder ...	A 3 piece windscreen, ie top half			-	-	-	
"	Wind Horn ...	vertically divided, bottom half to open			-	-	-	
"	Cases for Spare Tyres ...	from bottom			-	-	-	
"	Brackets to carry in ...	Engraved turned aluminium instrument			-	-	-	
"	Speaking Tube ...	board as on 1542.			-	-	-	
"	Inside Electric Lights ...	A set of Khaki Covers to all cushions	2114		21	-	-	15%
"	Luggage Carrier ...	and Squabs.			-	-	-	
"	Tool Accommodation ...	2 brackets for large Stephen Grebel			-	-	-	
"	Covers for Upholstery ...	Searchlights, one each side of screen.	87437		11	8	-	"
"	Heraldry ...	Cabinet ⁱⁿ for 1/3 front seats for instrument board			-	-	-	
"	Ventilator ...	for Thermos flask and beakers.	2114.		* 10	-	-	15%
"	Instrument Board ...	2 Gun clips and wells between the			-	-	-	
"	Speedometer ...	extra seats	87437		3	15	-	"
"	Clock ...	Provision in ^{1/2} 5 1/2 valanced to			-	-	-	
"	Width of Rear Seat ...	take 2 pairs of shoes. ^{held on top of seat} _{in front of screen}	2114		8	10	-	15%
"	Interior Height ...	A special red lamp 3 1/2" glass with			-	-	-	
"	Number of Doors to open ...	"Sun" crest in centre	87437		4	15	-	"
"	Windows to drop ...	Small silver backed ^{mirrors} brush and comb	87444		8	10	-	15%
"	Windows to slide ...	fitted between extra seats (in cabinet)	87437		* 14	-	-	"
"	Floor Coverings—Front ...	Folding arm rest to rear seat.	2114.		6	10	-	15%
"	Do. Rear ...	Lucas 1/2 wing lamp.	502011		1	1	-	12/-
"	Lamps ...	A spare pot of paint	88674		-	-	-	
"	Insurance Policy ...	Wiring up flag lamp	88686		-	15	-	11.6
"	One pair large 1/2 Lucas Headlamps - type RS 86	502075.	87434		14	12	6	30%
"	One pair forked type brackets to suit above.		87437		2	10	-	15%
"	1/2 Lucas lighting set complete, but less standard headlamps	and brackets	502075		12	15	-	17.1.5
"	wiring up.		87438		-	-	-	
"	1/2 Cobra Horn and bracket		502075		6	6	6	3.3.3.
"	Fitting same.		87437		-	-	-	
"	"Barker" 1/2 Bumpers front + rear. ^{Single spring to front} _{oil type to rear}		87435		24	-	-	20%
"	Fitting same.		"		2	-	-	nett
"	A quart size Thermos flask.	502075.	87436		2	2	-	10%
"	1/2 nested beakers in straight leather case	"	"		3	1	-	"
"	A Timigan Stock No 2 3 checked trunk, painted to match car.	^{in Tonal Brown as wings}	87445.		42	10	-	25%
"	An J.W.B Stop lamp		502075		3	10	-	2.0.6
"	Wiring up same.		87438		-	-	-	
"	2 R.R side wheel carriers		87431		10	10	-	7.13.6
"	Wiring up ready for Stephen G. Searchlights.		87438		1	15	-	1.3.0
"	Special ammeter showing larger charge and discharge				-	-	-	
"	Steps iron raised 2 1/2"		87442		1	7	-	1.0.0
"	Hood envelope of brown leather				8	10	-	15%
"	collecting, packing and shipping to Bombay		88707		97	10	-	92.10.0
"	Insurance is a value of £2950 @ 6/8%		"		9	16	8	1953 INT.

INV. 5481

100-EF

RR 316 (10H)(DE 192 9-7-26) MP 313727

Type **LONG** Customer **Madipur (India)**

Date Chassis received on test **7.3.27** Date handed to E.P. for despatch **5.4.27**

Date	PARTICULARS OF ORDER	O/No.	O.K.
8.2.27	"D" Steering. Open Laminating body 9 cuts.		OK
"	Pass H. Luggage 50 lbs on grid nickel		OK
"	Springs 1100+wide 1150+wide 1900+wide 2000+wide		OK
"	Dunlop wire wheels with wellbase rims 6	5145	OK
"	Side lamp wiring to front wings		OK
"	Fit. 15 x 52 axle		OK
"	Polished nickel radiator shutters	5145	OK
"	Painted bonnet		OK
"	Nickel plated chassis instruments with black		OK
"	gives 5 N.S. dials		OK P.T.O

Items Checked with C.H. Cards
by *J.P.* Date **6.4.27** Remarks *OK*

Date Despatched **7.4.27**
Date of Report to S. **8.4.27**

Date Despatched from Coachbuilders

Recorded by *M. Canty*

Guarantee effective from 19-10-27

DW25 $\frac{15}{52}$

Date	Key 38V23 PARTICULARS OF ORDER	294860	O/No.	O.K.
18.2.27	Luggage grid to rear		5145	OK
"	Spare wheel carrier to each side (2 C.B. chassis)			OK
"	A.T. Speedometer with T.R. (Nickel plated)		18445	OK
"	N.P. Bosch horn in line of Klaxon			OK
"	Locks to bonnet	38V23		OK
"	Supply fit. Brake lever cranked back 5" T in 1"			OK
"	at top including - G9533 Brake			OK
"	lever, G8655 Trigger rod, G6946			OK
"	sewer bowl			OK
"	Special selected large output dynamo Cx75M			OK
"	Carry battery wiring to inside frame position			OK
21.2.27	Supply fit. Step was raised 2 1/2" as on chassis 43EF			OK
18.2.27	Fit. 6.33 x 6.75 Dunlop M.P. Tyres			OK

S.S. Motor SuspensionL.O.P. F6532
 ,, GearL.O.P. G73417
 Servo Motor DriveL.O.P. G72548 No. *FU75*
 ,, MechanismL.O.P. G72550 No. *FU75*
 Steering ColumnL.O.P. E73619 Type *"D"* No. *GT45*
 Torque Reaction Dampers L.O.P. E71324 No. *FU85*
 Thermometer *F53625* No. *95282* Type *Cambridge*
 Tail Lamp Switch *Not fitted* L.O.P. D50992
 Tie RodsL.O.P. *E70921* No. *FU85*
 Universal JointL.O.P. G6833 No. *FU75*
 Undershield (Gear-box)L.O.P. *G7491* No. *FU85*
 ,, (Engine)L.O.P. *E74902* No. *FU85*
 Valves and FittingsL.O.P. E72113
 Wheelcase and FittingsL.O.P. E72662 No. *DW25*
 Water PumpL.O.P. E70527 No. *DW35*
 ,, ,, DriveL.O.P. *E75668*
 ,, ,, Connections L.O.P. E72762
 Wiring (Ignition)L.O.P. E71200
 ,, (Installation)L.O.P. E73411
 Wheels (Road)Type. *Dunlop Wire Wellbase*
 Size, Front *21" rims* Rear *21" rims.*

REMARKS

** Step irons off - F10892 fitted.*
Luggage Grid L.O.P. E73445
Spare Wheel Carriers fitted to OS.N.S. L.O.P. F74734
Horn Switch on Steering L.O.P. F71892
Battery wires to frame L.O.P. E73273.
** Side lever mech fitted with G9533 Brake lever, G8655 Trigger rod, G6946 lever pawl.*
29-5-36. 1. E.O.B. Watford Mag. Armature comp.

Chassis No. *100EF* Series *C-2-A*
 Finish: *NICKEL* Type *LONG*

Ammeter *F52286* No. *294860* Type *Weston*
 Autovac Tank and PipesL.O.P. F72353 No. *DW25*
 Actuating BoxL.O.P. D70353 No. *FU55*
 Ballast Resistance.....L.O.P. D70843
 Battery and Fittings.....L.O.P. F10610 *Exide*
 BatteryType. *Exide*
 Bonnet (Louvre *1'1"*) L.O.P. *E74806* No. *DW25*
 ,, LocksType *H.T.V.* Key No. *38.V.23*
 Cross Steering TubeL.O.P. *E75363* Cens. *50.6"* No. *FU85*
 CrankcaseL.O.P. E71255 No. *DW25*
 CamshaftL.O.P. E70893 No. *DW25*
 CrankshaftL.O.P. E70322 No. *DW25*
 Conn. rodsL.O.P. E74490 No. *DW25*
 CylindersL.O.P. E70903 No. *DW25*
 Cylinder Bores *Nos 1, 3, 4, 6, +1*
 Cut-out MechanismL.O.P. F74085
 ControlsL.O.P. E74621
 CarburettorL.O.P. *E75596* No. *DW35*
 Coil (Ignition)L.O.P. *E70982* No. *FU55*
 CondenserL.O.P. D70936 No. *FU25*
 Clutch and FlywheelL.O.P. G74776 No. *DW25*
 Dash. Brkts. & Footboards L.O.P. *F73461* Type *"D"* No. *DW45*
 DynamoNo. *CX75.M.*
 ,, ArmatureL.O.P. D70449
 ,, Bearing, Brkts., etc. L.O.P. D70565
 ,, CommutatorL.O.P. D70445
 ,, Field WindingL.O.P. D70191
 ,, DriveL.O.P. E73297
 ,, SuspensionL.O.P. D70248
 Distribution BoardL.O.P. D70880 No. *FU95*

[Continued over.]

DistributorL.O.P. D70793 No. *DW45*
 „ DriveL.O.P. E74694 No. *DW45*
 Disconnecting BoxL.O.P. D70855 ~~No.~~
 EngineNo. *DW25*
 Enot LubricatorsL.O.P. F10893
 Exhaust FittingsL.O.P. E74697 No. *FU85*
 Engine CouplingL.O.P. G73570 No. *DW25*
 Equalising Mechanism—
 Rear Brake *(Foot)*L.O.P. *G72553* No. *FU15*
 Front „ *(Foot)*L.O.P. G74775 No. *FU15*
~~Rear~~ *(Hand)*L.O.P. G2991 No. *FU15*
 Front AxleL.O.P. *G74294* No. *FU85*
 FanL.O.P. E72832 No. *CX25*
 *Frame and FittingsL.O.P. F74669 No. *FU85*
 Frame DrillingDrawing No. *F75530/1*
 Gear-box and Act. GearL.O.P. G72552 No. *FU75*
 „ 1st motion shft.....L.O.P. G73420 No. „
 „ 2nd „L.O.P. G6345 No. „
 „ 3rd „L.O.P. G73420 No. „
 „ Reverse GearL.O.P. G6346 No. „
 GovernorL.O.P. E74694 No. *DW45*
 Governor (Throttle)L.O.P. ~~.....~~ No. *DW25*
Bosch Nickel-plated
 Horn and Fittings.....L.O.P. *F73557* Type. — No. —
 Idler GearL.O.P. E71158
 Instrument BoardL.O.P. *F74421*
 Induction PipeL.O.P. E72039 No. *DW55*
 Junction BoxL.O.P. D50833 ~~No.~~
 MagnetoType *Wolford 506* No. *91749*
 „ DriveL.O.P. E73297 ~~No.~~
 Main SwitchL.O.P. D1429 No. *FU35*
 Mascot and Cap *Mat. Fitted*L.O.P. E73892
 Oil Pump and FilterL.O.P. E72859 No. *CX15*
 „ DriveL.O.P. E71161 No. *CX15*

Oil Pump FittingsL.O.P. E71401
 „ FillerL.O.P. E71157 No. *FU75*
 „ Sump Indicator L.O.P. E75072 No. *DW25*
 „ Relief ValveL.O.P. E72843 No. *DW15*
 PistonsL.O.P. E73500 Av. Wt. *1 1/2 ozs.* No. *DW25*
 PedalsL.O.P. *F72862* Type *"D"* No. *FU75*
 Petrol Tank and Indicator L.O.P. ~~.....~~ No. *FU95*
 Push Button SwitchL.O.P. D1916 No. *DW25*
 Radiator and FittingsL.O.P. E73892 No. *CX35*
 „ Shutters & C'trols.L.O.P. E73893 No. *DW65*
 „ ShuttersFinish *Polished Nickel*
 Rear AxleL.O.P. ~~.....~~ Ratio *15x52*
 Gear No. *C435* No. *YC35*
 „ „ Torque TubeL.O.P. G7478 ~~No.~~
 „ HubsL.O.P. *G74928*
 „ BrakesL.O.P. G74003
 *Speedometer *F10945*No. *18775* Type *A.T.*
 „ DriveL.O.P. G72577 No. *FU75*
 Shock Absorbers, FrontL.O.P. *F75345* Nos. O/*SDW45N/SDW65*
 „ „ RearL.O.P. F9599 Nos. O/*SFU45N/SFU65*
 Slipper DriveL.O.P. E74485 No. *DW25*
 Starting Carburettor.....L.O.P. E71422 No. *DW35*
 *Side Lever MechanismL.O.P. *G3192* Type *"D"* No. *DW35*
 SwitchboardL.O.P. D70548 Key No. *30W23* No. *FU65*
 Side Steering TubeL.O.P. ~~.....~~ Cents. *36 1/4* No. *FU85*
 Starting HandleL.O.P. E72750 ~~No.~~
 Self-starter MotorNo. *FU55*
 „ ArmatureL.O.P. F6548
 „ Brg. Brkts., etc.L.O.P. E13824
 „ Frame & Fld. W. L.O.P. E13833
 „ Epicyclic Gear L.O.P. E13791
 „ CommutatorL.O.P. E13734/5

[Continued over.]

SPRING TEST CARD.

See Instructions re Spring Tests.

Body—Type *Open Running* Weight *1008* lbs.
 Passengers—No. *4* Total Weight *616* lbs.
 Standard Spares Weight *58* lbs.
 Luggage on Grid Weight *50* lbs.
 Extras on Chassis *2 wheels* Weight *150* lbs.
 " " *(Battery in frame)* Weight _____ lbs.
 " " _____ Weight _____ lbs.
 Load on Chassis Total Weight *1882* lbs.
 Standard Chassis (No load with Oil, Petrol, Water, Tyres.) Weight _____ lbs.
 Complete Car Total Weight _____ lbs.
 Distance of Load from Rear Axle *45"* _____ ins.
 Max. Load Period *Approx 42* _____ per min.

Colonial Load. *Yes India*
 Destination _____
 Weight *200* lbs. Position *Rear Springs*

Spring.	Camber.	Buffer to Axle.	Frame to Ground.	Frame to Axle.
FRONT "NEAR"	<i>.45"</i>	<i>1.8125</i>	<i>20.375</i>	<i>7.8125</i>
FRONT "OFF"	<i>.5"</i>	<i>1.8125</i>	<i>20.375</i>	<i>7.8125</i>
REAR "NEAR"	<i>1.5625"</i>	<i>3.8125</i>	<i>19.4375</i>	<i>8.75</i>
REAR "OFF"	<i>1.5"</i>	<i>3.8125</i>	<i>19.4375</i>	<i>8.8125</i>

Axle Height.		Loaded Clearance.	
Front.	Rear.	Under Flywheel Guard	Under Silencer Snout
<i>12-25</i>	<i>12-5</i>	<i>5.625</i>	

Date *8/3/27* Tests taken
 By *G. Stephenson*

10-3-27

R.R. 107/13 (10 H) (D.E. S 29-4-26). J.H.,D.

CARRIAGE SPRINGS.

CHASSIS No. *100EF*

	Drawing No.	No. of plates.	Thickness over all.	Initial unloaded Camber after test "Z" dimension.	Normal load Camber.	Load for normal load Camber.	Length "L" at normal load Camber.
Front "near"	<i>F71980</i>	<i>11</i>	<i>2 5/8</i>	<i>2.64</i>	<i>1/2" neg.</i>	<i>1112.</i>	<i>43 1/2</i>
Front "off"	<i>F71981</i>	<i>---</i>	<i>---</i>	<i>2.57</i>	<i>---</i>	<i>1158.</i>	<i>---</i>
Rear "near"	<i>F10617</i>	<i>9</i>	<i>3 1/8</i>	<i>2 1/2</i>	<i>---</i>	<i>1948.</i>	<i>53</i>
Rear "off"	<i>F10618</i>	<i>---</i>	<i>3 3/16</i>	<i>2 9/16</i>	<i>---</i>	<i>2040.</i>	<i>---</i>

Springs fitted to drawing Nos. Front *F71975/75323* Rear *F10612/9927*

Date fixed on chassis *3-3-27* By *[Signature]*

Thickness rubber buffer, rear *1 1/2"* front *1 5/16"/2 1/8"*

Makers of springs *Firth*

Inspected by *[Signature]* Date *3-3-27*

Cleveland Springs

GOODS SUPPLIED

CHASSIS No. 100-EF

29-5-36. 1-E06. Walford Mag. Armature Allied Motors
comp. MS 2114.

MATERIAL	TOTAL	SHEET NO.	DATE
I 17.451 18.	26.717 10 1		
II 17.451 18.	26.717 10 1		

Brought forward:-

ROLLS-ROYCE LTD.

Messrs.

Order Nos. 2114.87437.87444.

UDAIPUR.

NEW "HOOPEE" OPEN TOURING BODY No.6770.
For 40/50 HP. Rolls-Royce Chassis, No.100-EF.

TYPE OF BODY. New "Hooper" Open Touring.

SEATING. Two persons on the hind seat, two on seats folding flush into back of driving seat, and two (including driver) on the front seat.

FRAMING & PANELS. English ash framing strengthened by body plates; aluminium panels throughout.

DOORS. Four - main doors hung on rear pillars; front doors hung on front pillars.

HOOD. Extension hood trimmed with waterproof canvas; detachable curtains at sides to open with doors (carried when not in use behind the back squab of main seat); envelope cover for hood when down.

WINDSCREEN. Sloping type, top half hinged to open forward and divided vertically; bottom half in one piece, hinged at bottom to swing outward.

VENTILATORS. Two Cowl type ventilators in top of scuttle.

WINGS & STEPS. Domed aluminium wings and valances; long side steps covered aluminium, edged angle plate.

PAINTING. Body & Chassis Primrose; wheels, wings and valances, Tobac Brown.

UPHOLSTERY. Plain Brown leather throughout, pleated (not buttoned); spring web cushion frame stuffed with horsehair; pockets in doors.

FLOOR COVERINGS. Front and rear floorboards and rear seatboards covered with Sorbo rubber matting; pile carpet to rear floor; underside of rear floor, heel and seat boards covered with Asbestos.

PROVISION FOR TOOLS. Box with receptacles for tools in nearside step; specially large box, fitted with three compartments, to nearside step valance for tools, etc.

INSTRUMENT BOARD. Engine turned aluminium.

PRICE:- ✓ 645

ACCESSORIES. Khaki waterproof covers (non rubber), to all cushions and squabs:- ✓ 21

Polished teak cabinet in nearside of instrument board (door faced with aluminium) to take Thermos Flask and beakers; also a polished teak cabinet between extra seats, to accommodate mirror, brush and comb:- ✓ 14

Silver mirror, silver back brush and comb:- ✓ 8

Synstucc 8-10-0

Carried forward:-

688

TOTAL	SHEET NO.	DATE
26.717 10 1		

Brought forward:-

688 10 0 33209 15 4

ROLLS-ROYCE LTD.

Messrs.

UDAIPUR.

NEW "HOOPER" OPEN TOURING BODY No.6770.
For 40/50 HP. Rolls-Royce Chassis.100-EF.

ACCESSORIES. (Contd).

Box in offside step valance to take shoes, etc:-	8 10 0
Folding armrest to centre of hind seat:-	6 10 0
Special brackets to carry large size Stephen Grebel Searchlights, one on each side step, and nickel plating same:-	✓ 11 8 0
Forging and fitting gun clips and providing "wells" let in floorboards between extra seats for two guns:-	✓ 3 15 0
Specially heavy headlamp brackets for R.S.86 Lucas headlamps:-	✓ 2 10 0
Hood bag of brown leather, (instead of water-proof twill):-	✓ 8 10 0
Fitting special red glass with blue and white centre, and engraving "SUN" Crest thereon to lamp supplied by yourselves:-	✓ 4 15 0

Reasons

$$\begin{array}{r} 8-10-0 \\ 1-5-6 \\ \hline 7-4-6 \end{array}$$

Less 15%:-

734	8	0
110	3	1
<hr/>		
624	4	11
R	1	0 0

Fitting (only) Folberth windscreen wiper.NETT:-

Motor Body 618 - 0 - 5
Syns & Acc. 4 - 4 - 6

3 565 2 8

3 24282 129

33.835 - 6